

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 1 of 14

Speaker Cabinets	Description	Professional Version	Suspension Version	Fixed Installation
		Structural Varnish	Structural Varnish	MDF Finish
<b>NEW!</b> I-Series				
I-V1061-CRND	Fullrange (1x6"/1x1"Coaxial) +Mount 8Ω / 200W AES	548,90	-	-
I-V1081-CRND	Fullrange (1x8"/1x1"Coaxial) +Mount 8Ω / 300W AES	625,90	-	-
I1061-CRND	Fullrange (1x6"/1x1"Coaxial) +Mount 8Ω / 150W AES	328,90	-	-
I2061-CRND	Fullrange (2x6"/1x1") +Mount 4Ω / 300W AES	548,90	-	-
I1061-CRE	Fullrange (1x6"/1x1"Coaxial) +Mount 4Ω / 80W AES	218,90	-	185,00
I2061-CRE	Fullrange (2x6"/1x1") +Mount 4Ω / 160W AES	368,50	-	299,00
Multiway Cabinets				
M1081-H	Fullrange (1x8"/1x1"Horn-Tweeter) 8Ω / 100W AES	658,90	697,40	581,00
M1101-H	Fullrange (1x10"/1x1"Horn-Tweeter) 8Ω / 150W AES	854,70	953,70	740,00
M11241-H	Fullrange (1x12"/1x4"/1x1"Horn-Tweeter) 8Ω / 200W AES	1.204,50	1.303,50	1.040,00
M11581-H	Fullrange (1x15"/1x8"/1x1"Horn-Tweeter) 8Ω / 600W AES	1.342,00	1.441,00	1.185,00
M1101-HIFI	HIFI (1x10" /1x1"Tweeter) 8Ω / 150W AES	445,50	-	380,00
M11221-HIFI	HIFI (1x12" /1x2"Mid/1x1"Tweeter) 8Ω / 300W AES	913,00	-	800,00
M11541-HIFI	HIFI (1x15" /1x4"Mid/1x1"Tweeter) 8Ω / 400W AES	1.293,60	-	1.140,00
Mid-High Range				
T1081-H	Mid-High (1x8"/1x1"Horn-Tweeter) 8Ω / 200W AES	939,40	1.038,40	809,00
T1101-H	Mid-High (1x10"/1x1" CD Horn) 8Ω / 300W AES	1.054,90	1.153,90	912,00
T1101-HND	Mid-High (1x10"ND Driver/1x1" CD Horn) 8Ω / 300W AES, ND-Version	1.160,50	1.269,40	999,00
T1121-H	Mid-High (1x12"/1x1"CD Horn) 8Ω / 400W AES	1.452,00	1.551,00	1.272,00
T1121-HND	Mid-High (1x12" ND Driver /1x1"CD Horn) 8Ω / 400W AES, ND-Version	1.597,20	1.706,10	1.399,00
T2102-H	Mid-High (2x10" Horn/1x2"CD Horn) 4Ω / 800W AES	2.420,00	2.557,50	2.150,00
T2102-HND	Mid-High (2x10" ND Driver /1x2"CD Horn) 4Ω / 800W AES, ND-Version	2.662,00	2.813,80	2.365,00
T2122-H	Mid-High (2x12"Horn/1x2"CD Horn) 4Ω / 1.200W AES	2.645,50	2.783,00	2.350,00
T2122-HND	Mid-High (2x12" ND Driver /1x2"CD Horn) 4Ω / 1.2kW AES, ND-Version	2.910,60	3.061,30	2.585,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

## Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 2 of 14

### Sub Woofer Horn

<b>B1150-H</b>	Bass-Horn (1x15") 8Ω / 800W AES	1.138,50	1.276,00	980,00
<b>B1150-HND</b>	Bass-Horn (1x15"ND) 8Ω / 700W	1.252,90	1.403,60	1.078,00
<b>B2150-H</b>	Bass-Horn (2x15") 4Ω / 1.6kW AES	2.002,00	-	1.733,00
<b>B2150-HND</b>	Bass-Horn (2x15"ND) 4Ω / 1.4kW	2.198,90		1.906,00
<b>B1180-H</b>	Bass-Horn (1x18") 8Ω / 1kW AES	1.287,00	1.424,50	1.115,00
<b>B1180-HND</b>	Bass-Horn (1x18"ND) 8Ω / 800W	1.415,70	1.567,50	1.227,00
<b>B2180-H</b>	Bass-Horn (2x18") 4Ω / 2kW AES	2.282,50	-	1.985,00
<b>B2180-HND</b>	Bass-Horn (2x18"ND) 4Ω / 1.6kW	2.511,30	-	2.184,00
<b>B1210-H</b>	Bass-Horn (1x21") 8Ω / 1.2kW AES	1.965,70	-	1.727,00

### Sub Woofer Reflex

<b>NEW! B1100-R</b>	Bass-Reflex (1x10") 8Ω / 400W AES	484,00	-	-
<b>B1150-R</b>	Bass-Reflex (1x15") 8Ω / 800W AES	968,00	1.105,50	840,00
<b>B1150-RND</b>	Bass-Reflex (1x15"ND) 8Ω / 700W AES	1.064,80	1.215,50	924,00
<b>B2150-R</b>	Bass-Reflex (2x15") 4Ω / 1.6kW AES	1.776,50	-	1.545,00
<b>B2150-RND</b>	Bass-Reflex (2x15"ND) 4Ω / 1.4kW AES	1.953,60	-	1.699,00
<b>B1180-R</b>	Bass-Reflex (1x18") 8Ω / 1kW AES	1.138,50	1.276,00	980,00
<b>B1180-RND</b>	Bass-Reflex (1x18"ND) 8Ω / 800W AES	1.251,80	1.403,60	1.078,00
<b>B2180-R</b>	Bass-Reflex (2x18") 4Ω / 2.0kW AES	2.002,00	-	1.733,00
<b>B2180-RND</b>	Bass-Reflex (2x18"ND) 4Ω / 1.6kW AES	2.202,20	-	1.906,00

### Monitor/Multipurpose

<b>MT1121-H</b>	Bass-Reflex (1x12"/1x1" Horn) 8Ω / 350W AES	1.098,90	1.208,90	-
<b>MT1121.4-H</b>	Bass-Reflex (1x12"/1x1.4" Horn) 8Ω / 450W AES	1.562,00	1.661,00	-
<b>MT2121-H</b>	Bass-Reflex (2x12"/1x1" Horn) 4Ω / 700W AES	2.002,00	2.101,00	-
<b>MT1152-H</b>	Bass-Reflex (1x15"/1x2" Horn) 8Ω / 600W AES	1.716,00	1.851,30	-

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 3 of 14

Line Array				
<b>LA20821.7-HND</b>	Bass-Reflex/Horn (2x8"/2x1.75" Planar-Waveguide-Horn)	-	2.772,00	-
	Neodym, 8Ω/8Ω / 600W AES			
<b>LA21021.4-HND</b>	Bass-Reflex/Horn (2x10"/2x1,4" Horn)	-	4.191,00	-
	Neodym, 8Ω/8Ω / 1.2kW AES			
<b>LA2121-HND</b>	Bass-Reflex/Horn (2x10"/2x1,4" Horn),	-	4.609,00	-
	Neodym, 8Ω/16Ω / 950W AES			
<b>LA2151-HND</b>	Bass-Reflex/Horn (2x15"/2x6"/3x1.5" Horn), Neo. 8Ω/8Ω/16Ω/1.6KW AES	-	6.589,00	-
<b>LA21231.7-HND</b>	Bass-Reflex/Horn (2x12"/3x1,75" Planar-Waveguide-Horn), Neodym, 8Ω/16Ω / 1.9kW AES	-	7.038,90	-
<b>LAB2080-RND</b>	Bass-Reflex (2x8"), Neodym,	-	2.033,90	-
Bass Extension	0.8KW AES / 8Ω			
<b>LAB2100-RND</b>	Bass-Reflex (2x10"), Neodym,	-	2.189,00	-
Bass Extension	1.0KW AES / 8Ω			
<b>LAB2120-RND</b>	Bass-Reflex (2x12"), Neodym,	-	3.289,00	-
Bass Extension	2.0KW AES / 8Ω			
<b>LAB2150-RND</b>	Bass-Reflex (2x15"), Neodym,	-	4.059,00	-
Bass Extension	2.4KW AES / 8Ω			
Powered Sub Woofer				
<b>PB1150-R</b>	Bass-Reflex (1x15") 1 KW RMS internal digital Controller	2.068,00	2.205,50	1.840,00
<b>PB2150-R</b>	Bass-Reflex (2x15") 2 KW RMS internal digital Controller	3.151,50		2.795,00
<b>PB1180-R</b>	Bass-Reflex (1x18") 1 KW RMS internal digital Controller	2.238,50	2.376,00	1.980,00
<b>PB2180-R</b>	Bass-Reflex (2x18") 2 KW RMS internal digital Controller	3.377,00	-	2.983,00
Function-Series				
<b>T1101-HNDF</b>	Mid-High (1x10"ND Driver/1x1,75" CD Horn) 8Ω / 600W AES, ND-F Version	1.732,50	1.859,00	1.499,00
<b>T1121-HNDF</b>	Mid-High (1x12" ND Driver /1x1,75"CD Horn) 8Ω / 1000W AES, ND-F Version	2.189,00	2.464,00	1.899,00
<b>B1150-RNDF</b>	Bass-Reflex (1x15"ND) 8Ω / 1200W AES	1.562,00	1.681,90	1.259,00
<b>B2150-RNDF</b>	Bass-Reflex (2x15"ND) 4Ω /2.4kW AES	2.748,90		2.240,00
<b>B1180-RNDF</b>	Bass-Reflex (1x18"ND) 8Ω / 1.6kW AES	1.801,80	1.881,00	1.520,00
<b>B2180-RNDF</b>	Bass-Reflex (2x18"ND) 4Ω /3.2kW AES	3.179,00		2.599,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 4 of 14

Powered Multiway				
<b>PM1001-H</b>	Fullrange (1x10"/1x1" CD-Horn) 300W RMS, internal Controller	1.954,70	2.053,70	1.740,00
<b>PM1201-H</b>	Fullrange (1x12"/1x1" CD-Horn) 400W RMS, internal Controller	2.304,50	2.403,50	2.040,00
<b>PM15175-HND</b>	Fullrange (1x15"/1x1,75"ND-Horn) 400W RMS, internal Controller	2.442,00	2.541,00	2.185,00
Very High Power Output				
<b>PT2102-HND</b>	Mid-High (2x10" ND Driver /1x2"CD Horn) 1 KW RMS, ND-Version internal digital Controller	3.762,00	3.913,80	3.365,00
<b>PT2122-HND</b>	Mid-High (2x12" ND Driver /1x2"CD Horn) 1.2 KW RMS, ND-Version internal digital Controller	4.010,60	4.161,30	3.585,00
Weather Proof WP-Series				
	For out door			
<b>NEW!</b>	<b>WP1061-CRND</b>	6"/ 1" Fullrange System, 8Ω/200W AES, GRP, w. proof	-	699,00
<b>NEW!</b>	<b>WP2061-CRND</b>	2x 6"/ 1" Fullrange System, 4Ω/400W AES, GRP, w. proof	-	1.340,00
	<b>WP1081-CRND</b>	8"/ 1" Fullrange System, 8Ω/16Ω/200W AES, GRP, w. proof	-	799,00
	<b>WP2081-CRND</b>	2x 8"/ 1" Fullrange System, 8Ω/16Ω/400W AES, GRP, w. proof	-	1.440,00
	<b>WP1101-CRND</b>	10"/ 1" Fullrange System, 8Ω/16Ω/200W AES, GRP, w. proof	-	980,00
	<b>WP2101-CRND</b>	2x 10"/1" Fullrange System 4Ω/8Ω/400W AES, GRP, w. proof	-	1.764,00
	<b>WP1100-BRND</b>	1x 10" Bass-System, 8Ω/200W AES, GRP, w. proof	-	664,00
	<b>WP1122-CRND</b>	12"/ 2" Fullrange System, 8Ω/16Ω/350W AES, GRP, w. proof	-	1.040,00
	<b>WP1122-CRHP</b>	12"/ 2" Fullrange System, Hi-Power 8Ω/8Ω/600W AES, GRP, w. proof	-	1.360,00
	<b>WP1120-BRND</b>	12" Bass-Reflex System, 8Ω/600W AES, GRP, weather proof	-	760,00
	<b>WP2122CRND</b>	2x 12"/ 2" Fullrange System, 4Ω/8Ω/700W AES, GRP, w. proof	-	1.872,00
	<b>WP2122-CRHP</b>	2x 12"/ 2" Fullrange System, Hi-Power, 4Ω/4Ω/1.2kW AES, GRP, weather proof	-	2.312,00
	<b>WP2120-BRND</b>	2x 12" Bass-Reflex System, 4Ω/1.2kW AES, GRP, weather proof	-	1.368,00
	<b>WP1152-CRND</b>	15"/ 2" Fullrange System, 8Ω/16Ω /400W AES, GRP, w. proof	-	1.130,00
	<b>WP1152-CRHP</b>	15"/ 2" Fullrange System, Hi-Power 8Ω/800W AES, GRP, weather proof	-	1.650,00
	<b>WP1150-BRND</b>	15" Bass-Reflex System, 8Ω/800W AES, GRP, weather proof	-	870,00
	<b>WP2152-CRND</b>	2x 15"/ 2" Fullrange System, 4Ω/8Ω/800W AES, GRP, w. proof	-	2.034,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 5 of 14

<b>WP2152-CRHP</b>	2x 15"/ 2" Fullrange System, Hi-Power, 4Ω/8Ω/1.6kW AES, GRP, weather proof	-	-	2.970,00
<b>WP2150-BRND</b>	2x 15" Bass-Reflex System, 4Ω/1.6kW AES, GRP, weather proof	-	-	1.566,00
Weather Proof WPA-Series	Self powered, Class-D modules, for out door			
<b>NEW! WPA1061-CRND</b>	6"/ 1" Fullrange System, Class-D - 200W RMS, GRP, weather proof	-	-	1.295,00
<b>NEW! WPA2061-CRND</b>	2x 8"/ 1" Fullrange System, Class-D 400W RMS, GRP, weather proof	-	-	1.999,00
<b>WPA1081-CRND</b>	8"/ 1" Fullrange System, Class-D, 200W RMS, GRP, weather proof	-	-	1.395,00
<b>WPA2081-CRND</b>	2x 8"/ 1" Fullrange System, Class-D 400W RMS, GRP, weather proof	-	-	2.099,00
<b>WPA1101-CRND</b>	10"/ 1" Fullrange System, Class-D, 200W RMS, GRP, weather proof	-	-	1.584,00
<b>WPA2101-CRND</b>	2x 10"/1" Fullrange System, Class-D, 400W RMS, GRP, weather proof	-	-	2.399,00
<b>WPA1122-CRND</b>	12"/ 2" Fullrange System, Class-D, 500W RMS, GRP, weather proof	-	-	1.892,00
<b>WPA1120-BRND</b>	12" Bass-Reflex System, Class-D, 500W RMS, GRP, weather proof	-	-	1.549,00
<b>WPA2122CRND</b>	2x 12"/ 2" Fullrange System, Class-D, 700W RMS, GRP, weather proof	-	-	2.899,00
<b>WPA2120-BRND</b>	2x 12" Bass-Reflex System, Class-D, 700W RMS, GRP, weather proof	-	-	2.599,00
<b>WPA1152-CRND</b>	15"/ 2" Fullrange System, Class-D , 800W RMS, GRP, weather proof	-	-	1.989,00
<b>WPA1150-BRND</b>	15" Bass-Reflex System, Class-D , 800W RMS, GRP, weather proof	-	-	1.699,00
<b>WPA2152-CRND</b>	2x 15"/2" Fullrange System, Class-D, 1.400W RMS, GRP, weather proof	-	-	3.499,00
<b>WPA2150-BRND</b>	2x 15" Bass-Reflex System, Class-D, 1.400W RMS, GRP, weather proof	-	-	2.699,00
I-Floor®	Modular 1x1m			
<b>S-Floor® System</b>	1x1m Sound Floor Module, Multiplex, 2x750W RMS with system controller and exciter	-	-	2.599,00
<b>S-Floor® System SL</b>	1x1m Sound Floor Modul, "Slave" Tile, without system controller and exciter	-	-	699,00
<b>I-Floor® System</b>	1x1m Infra-Floor Bass-Module, Multiplex, 2x750W RMS with system controller and exciter	-	-	2.399,00
<b>I-Floor® System SL</b>	1x1m Infra-Floor Bass-Module, "Slave" Tile, without system controller and exciter	-	-	699,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 6 of 14

3D-Sound System	Processor, Tablet-Computer, Software, WiFi Router			
<b>3D-Sound System</b>	System with 3D-Sound-Processor, Software for Tablet-Computer Control, with WiFi Router	-	-	2.990,00
Laser-Mission Laser-Obstacle-Game	Control Unit, Compact-PC, Laser- Sensor-Barrier, Video- and Audio-Output for Display, Software-Licence			
<b>Laser-Mission System</b>	Complete system to create an exciting Laser-Obstacle-Game Example-Price for a system with 20 Laser-Light-Barriers Control-Unit LMC1, PC-based counting system with video output for monitor display inclusively audio-out for stunning Sound- Effects	-	-	21.100,00
<b>Laser-Emitter and receiver module (additional)</b>	Laser-Emitter and receiver module- combination to create an additional Laser-Light-Barrier	-	-	699,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 7 of 14

Complete Systems	Description	Professional Version	Suspension Version	Fixed Installation
		Structural Varnish	Structural Varnish	MDF Finish
<b>2 Way Active Crossover</b>				
<b>System 1-R</b>	2 Way Active Crossover, Mid-High with Passive Network, inclusive Digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : <b>T1081-H</b> 2 X Bass : <b>B1150-R</b> System Power : 2 X 450 W RMS Bass 2 X 350 W RMS Mid-High	6.773,80	6.971,80	6.630,80
2 X 1000 Watt RMS/8Ω SPL max 128 dB 1W/1m				
<b>System 1-RS</b>	Similar to <b>System 1-R</b> but in Slave Configuration, without System – Controller, rest identical	5.525,30	5.723,30	5.382,30
<b>System 1-H</b>	Similar to <b>System 1-R</b> but incl. Box <b>B1150-H</b> as Sub Woofer for long throw application, rest identical.	7.114,80	7.312,80	6.971,80
<b>System 2-R</b>	2 Way Active Crossover, Mid-High with Passive Network, inclusive Digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : <b>T1101-H</b> 2 X Bass : <b>B1150-R</b> System Power : 2 X 750 W RMS Bass 2 X 450 W RMS Mid-High	7.686,80	7.884,80	7.521,80
2 X 1100 Watt RMS/8Ω SPL max 132 dB 1W/1m				
<b>System 2-RS</b>	Similar to <b>System 2-R</b> but in Slave Configuration, without System – Controller, rest identical	6.438,30	6.636,30	6.273,30
<b>System 2-H</b>	Similar to <b>System 2-R</b> but incl. Box <b>B1150-H</b> as Sub Woofer for long throw application, rest identical.	8.027,80	8.225,80	7.862,80

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 8 of 14

Complete Systems	Description	Professional Version	Suspension Version	Fixed Installation
		Structural Varnish	Structural Varnish	MDF Finish
<b>2 Way Active Crossover</b>				
<b>System 3-R</b>	2 Way Active Crossover, Mid-High with Passive Network, inclusive digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : <b>T1121-H</b> 2 X Bass : <b>B1180-R</b> System Power : 2 X 1000 W RMS Bass 2 X 600 W RMS Mid-High	9.630,50	9.828,50	9.460,00
2 X 1400 Watt RMS/8Ω SPL max 136 db / 1m				
<b>System 3-RS</b>	Similar to <b>System 3-R</b> but in Slave Configuration, without System – Controller, rest identical	8.382,00	8.580,00	8.217,00
<b>System 3-H</b>	Similar to <b>System 3-R</b> but incl. Box <b>B1180-H</b> as Sub Woofer for long throw application, rest identical.	9.927,50	10.125,50	9.762,50
<b>System 4-R</b>	2 Way Active Crossover, Mid-High with Passive Network, inclusive digital-6Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : <b>T2102-H</b> 2 X Bass : <b>B2180-R</b> System Power : 2 X 2040 W RMS Bass 2 X 750 W RMS Mid-High	15.180,00	15.455,00	14.905,00
2 X 2800 Watt RMS/4Ω SPL max 140 db 1W/1m				
<b>System 4-RS</b>	Similar to <b>System 4-R</b> but in Slave Configuration, without System – Controller, rest identical	12.958,00	13.233,00	12.683,00
<b>System 4-H</b>	Similar to <b>System 4-R</b> but incl. Box <b>B2180-H</b> as Sub Woofer for long throw application, rest identical.			

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !



# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 9 of 14

Line Array Systems	For LA - Effect you have to use 4 Systems minimum:	(1x System + 3x Slave System)		
<b>LA System 1</b> 2 X 600 Watt AES/8Ω SPL max 136 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 X Line Array : <b>LA 2081-HND</b> System Power : 2 X 800W RMS/4Ω		7.628,50	-
<b>LA System 1S</b>	Similar to <b>System 1</b> but in Slave Configuration (without System - Controller) rest identical		6.748,50	-
<b>LA System 2</b> 2 X 1.200 Watt AES/8Ω SPL max 140 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 X Line Array : <b>LA2101-HND</b> System Power: 2X 1.200W RMS/4Ω		11.148,50	-
<b>LA System 2S</b>	Similar to <b>System 2</b> but in Slave Configuration (without System - Controller) rest identical		10.268,50	-
<b>Infra-Bass Systems for Line Array</b>				
<b>LA IB System 1</b> 2 X 2.000 Watt AES/4Ω SPL max 139 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 2 X <b>B2180-H</b> Bass Horn System Power: 2 X 2.040W RMS/4Ω	6.809,00	7.249,00	-
<b>LA IB System 1 MK4</b> 4 X 1.000 Watt RMS/4Ω SPL max 139 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 4 X <b>B2180-H</b> Bass Horn System Power: 2 X 2.040W RMS/4Ω	7.555,35	8.171,35	-
<b>LA IB System 2</b> 4 X 1.200 Watt AES/8Ω SPL max 142 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 4 X <b>B1210-H</b> Bass Horn System Power: 2 X 2.040W RMS/4Ω	10.373,00	10.989,00	-

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 10 of 14

<b>NEW!</b> Line Array Systems IP-Grade	For LA - Effect you have to use 3 Systems minimum:	(1x System + 2x Slave System)		
<b>LA WP-Series System 01</b> 2 X 1200 Watt AES/8+16Ω SPL max 139 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: <b>LA21011.7-HND</b> System Power: 2x1600W RMS/8+8Ω	-	11.341,00	-
<b>LA WP-Series System 01S</b>	Similar to <b>System 01</b> but in Slave Configuration (without System - Controller) rest identical	-	10.461,00	-
<b>LA WP-Series System 02</b> 2 X 1600 Watt AES/8Ω SPL max 141 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: <b>LA21221.7-HND</b> System Power: 2x1600W RMS/8+8Ω	-	13.609,20	-
<b>LA WP-Series System 02S</b>	Similar to <b>System 01</b> but in Slave Configuration (without System - Controller) rest identical	-	12.729,20	-
Suspended-Bass Systems	For LA-WP Series System 1 & 2			
<b>LA WP-Series System 02B</b> 2 X 2600 Watt AES/4Ω SPL max 142 db /1m	1 Way Active , Bass system with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: <b>LAB2150-RND</b> System Power: 2x2600W RMS/4Ω	-	9.416,00	-
<b>LA WP-Series System 02BS</b>	Similar to <b>System 01</b> but in Slave Configuration (without System - Controller) rest identical	-	8.536,00	-
Complete Systems and Project Configurations	On Request			

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 11 of 14

Electronics	Description	Dimensions	Weight	Price
		W X H X D ( mm)	kg	Euro per Piece
<b>Controller</b>				
<b>PR 2040-D</b>	Digital Controller with Limiter and Para- metric EQs, 2 In/ 4 Outs, programmable, pre-programmed for <b>PR Sound</b> Systems	483 (19") X 44 (1HU) X 220	3,8 kg	1.040,75
<b>PR 3060-D</b>	Digital Controller with Limiter and Para- metric EQ, 3 In/ 6 Outs, programmable, pre-programmed for <b>PR Sound</b> Systems	483 (19") X 44 (1HU) X 220	4,0 kg	1.535,25
<b>PR 4080-D</b>	Digital, fully programmable, Limiter and Parametric EQs, 4 In/ 8 Outputs, pre-programmed for <b>PR Sound</b> Systems	483 (19") X 44 (1HU) X 220	4,1 kg	2.093,00
<b>PR 8080-D</b>	Digital-Matrix, fully programmable, Limiter and Parametric EQs, 8 In/ 8 Outs, pre-programmed for <b>PR Sound</b> Systems	483 (19") X 44 (1HU) X 220	4,1 kg	2.323,00
<b>LF Power Amplifier For I-Floor® Application</b>				
<b>PR 1500LF</b>	2 Channel Low Frequency Power Amplifier, Fan, Limiter 2 X 750W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	15,1 kg	1.499,60
<b>PR 2000LF</b>	2 Channel Low Frequency Power Amplifier, Fan, Limiter 2 X 1000W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 380	16,3 kg	1.815,85
<b>Power Amplifier</b>				
<b>PR 700</b>	2 Channel Power Amplifier, Fan, Limiter 2 X 350W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	13,0 kg	784,30
<b>PR 900</b>	2 Channel Power Amplifier, Fan, Limiter 2 X 450W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	13,5 kg	903,90
<b>PR 1200</b>	2 Channel Power Amplifier, Fan, Limiter 2 X 600W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	14,5 kg	1.328,25
<b>PR 1500</b>	2 Channel Power Amplifier, Fan, Limiter 2 X 750W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	14,8 kg	1.442,10
<b>PR 2000</b>	2 Channel Power Amplifier, Fan, Limiter 2 X 1000W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 380	15,8 kg	1.758,35

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

## Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 12 of 14

Amplifier 1HU Class-D	DMA Series: Examples, modular configurable			
<b>NEW! PR DMA</b> 2x200	2 Ch. Class-D Power Amplifier, Fan, Limit. 2 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HU) X 320	4,8 kg	711,85
<b>NEW! PR DMA</b> 4x200	4 Ch. Class-D Power Amplifier, Fan, Limit. 4 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HU) X 320	5,1kg	1.125,85
<b>NEW! PR DMA</b> 2x400	2 Ch. Class-D Power Amplifier, Fan, Limit. 2 X 400W RMS / 4Ω, 1 HE	483 (19") X 44 (1HE) X 320	4,9 kg	1.136,20
<b>NEW! PR DMA</b> 4x400	4 Ch. Class-D Power Amplifier, Fan, Limit. 4 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HE) X 320	5,2 kg	1.723,85
<b>PR D1200</b>	2 Channel Power Amplifier 2 X 580W RMS/ 4 Ohm, 1 X 1160W / 8Ohm, 1 HU	483 (19") X 44 (1HE) X 280	5,9 kg	1.422,55
<b>PR D3200</b>	2 Channel Power Amplifier 2 X 950W RMS/ 4 Ohm, 1 X 2800W / 4Ohm, 1 HU	483 (19") X 44 (1HE) X 320	7,4 kg	1.814,70
<b>PR D4800</b>	2 Channel Power Amplifier 2 X 1.800W RMS/ 4 Ohm, 1 X 4.400W / 4Ohm, 1 HU	483 (19") X 44 (1HE) X 410	9,2 kg	2.459,85
Installation Modules PR DIM Series	Examples, modular configurable			
<b>NEU! PR DIM</b> 2x200	2 Kanal Digital-Verstärkermodul, Lüft., Limit. 2 X 200W RMS / 4Ω, 1 HE	325 X 57 X 210	2,8 kg	631,35
<b>NEU! PR DIM</b> 2x400	2 Kanal Digital-Verstärkermodul, Lüft., Limiter 2 X 400W RMS / 4Ω, 1 HE	325 X 57 X 210	3,7 kg	972,90
<b>Ethernet Remote-Control Option</b>	For WPA Series speakers and DMA / DIM Amplifiers / Modules			
<b>NEW! Ethernet-Module with GUI software</b>	Ethernet Adapter with sound control and Remote-Set-Up for up to 4 Ch.	Internal plug-in board		251,85
DI-Box				
<b>DI230-P</b>	Passive DI-Box, Transformer			109,25
<b>DI230-A</b>	Active DI-Box, Transformer, with 9V Block Battery			132,25
<b>DI2300-APH</b>	Active DI-Box with Phantom Power, Transformer			189,75

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

# Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 13 of 14

## PR-Drive Rack Series

<b>WP0.3-SR</b>	Drive Rack for PR WP-Series Speaker-System, 4 channel, 3,2kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/180mm(4HU)/ 420mm depth	15kg / 33,2lbs	3.410,00
<b>WP0.6-SR</b>	Drive Rack for PR WP-Series Speaker-System, 8 channel, 6,4kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/180mm(4HU)/ 420mm depth	22kg / 49.7lbs	5.669,00
<b>WP1-SR</b>	Drive Rack for PR WP-Series Speaker-System, 4 channel, 6kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/180mm(4HU)/ 420mm depth	17kg / 38lbs	3.930,00
<b>WP2-SR</b>	Drive Rack for PR WP-Series Speaker-System, 8 channel, 12kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/180mm(4HU)/ 420mm depth	24kg / 54lbs	6.550,50
<b>WP3-SR</b>	Drive Rack for PR WP-Series Speaker-System, 12 channel, 18kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/270mm(6HU)/ 420mm depth	35kg / 79lbs	9.550,00

## PR-LA-Drive Rack Series

<b>LA1-MK2-SR</b>	Drive Rack for PR LA-Series Speaker-System, 8 channel, 3,6kW RMS Power max. with Digital Sound Processing (DSP)& Dante			5.262,00
<b>LA1-MK3-SR</b>	Drive Rack für PR LA-Serie Lautsprecher-System, 12 channel, 6kW RMS Power max. with Digital Sound Processing (DSP) & Dante			7.817,00
<b>LA2-MK2-SR</b>	Drive Rack for PR LA-Series Speaker-System, 8 channel, 7,2kW RMS Power max. with Digital Sound Processing (DSP) & Dante			6.658,00
<b>LA2-MK3-SR</b>	Drive Rack for PR LA-Series Speaker-System, 12 channel, 13,2kW RMS Power max. with Digital Sound Processing (DSP) & Dante			9.419,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

## Customer Export Price List



17.06.2024

Prices per piece ex works in Euro

Page 14 of 14

<b>LA3-MK2-SR</b>	Drive Rack for PR LA-Series Speaker-System, 8channel , 40kW RMS Power max. with Digital Sound Processing (DSP) & Dante	14.078,00
<b>LA3-MK3-SR</b>	Drive Rack for PR LA-Series Speaker-System, 12channel , 60kW RMS Power max. with Digital Sound Processing (DSP) & Dante	21.978,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !